Schönefelder Chaussee 73 · D-12524 Berlin
Tel: +49 (0) 30 756 556 7-1 · info@airbag24.de

INSTALLATION GUIDE

Seat belt warning simulator

Mercedes-Benz A-Class W169 · B-Class W245

1. Switch off the ignition.
2. Disconnect the battery.
3. Look under the passenger seat for the connector shown below:



CONNECTOR

Schönefelder Chaussee 73 · D-12524 Berlin
Tel: +49 (0) 30 756 556 7-1 · info@airbag24.de

4. Cut the yellow and blue wires with side cutters. Solder the simulator to the vehicle-side wires, matching the colours.

Note

The wire colours may also be grey and black.



WITH SIMULATOR

5. Secure the simulator to the seat (tape or cable ties).

6. Reconnect the battery.

7. Switch the ignition back on.

After Installation

If the airbag warning light or the seat occupancy light does not go out, have the airbag system fault memory cleared. If the light stays on afterwards, the cause is not the seat belt warning contact.

Schönefelder Chaussee 73 · D-12524 Berlin
Tel: +49 (0) 30 756 556 7-1 · info@airbag24.de

IMPORTANT INFORMATION

Purpose and Safety

This device is designed for diagnosis and fault finding. It lets you check whether a fault shown in the instrument cluster is caused by a faulty seat belt warning contact or the seat belt buckle.

If the seat belt warning contact is faulty, the fault and the warning light will clear temporarily once the simulator is fitted. If the cause lies elsewhere, the warning light stays on.

Intended Use

- This tool is **for diagnostic purposes only**.
- It **does not replace the original part** and is not a permanent repair.
- It does not permanently impair the vehicle's safety system.

Important: removal

On this vehicle the simulator is soldered in. To remove it, the original wiring must be restored. Have both installation and removal carried out by a specialist workshop.

As long as the seat belt warning simulator is installed, the airbag control unit treats the passenger seat as occupied even when no one is sitting in it. In a collision the **passenger airbag** will therefore deploy even with the seat empty. The vehicle's other airbags are not affected. Please observe the following safety warning:

SAFETY WARNING

As long as the seat belt warning simulator is installed, a rear-facing child seat must never be fitted to this seat!

Safety-relevant parts should only be installed and removed by a specialist workshop.

Our General Terms and Conditions apply exclusively.